J. Lipid Research, October, 1962
Volume 3, Number 4

Author Index

Vol. 3, Nos. 1–4

A

Abadi, D. M. See *Lund, Abadi, and Mathies,* 95
Abell, L. L., and **E. H. Mosbach.** Hypocholesterolemic effect of methyltestosterone in rats, 88
Agranoff, B. W. Hydrolysis of long-chain alkyl phosphates and phosphatidic acid by an enzyme purified from pig brain, 190
Alfin-Slater, R. S. See *Morin, Bernick, Mead, and Alfin-Slater,* 432
Altschul, A. M. See *Ory, St. Angelo, and Altschul,* 99
Anderson, C. E. See *Williams, Anderson, and Jasik,* 378
Avigan, J., D. Steinberg, and **M. Berman.** Distribution of labeled cholesterol in animal tissues, 216

B

Barclay, M. See *Skipski, Peterson, and Barclay,* 467
Begemann, P. H. See *Sonneveld, Begemann, van Beers, Keuning, and Schogt,* 351
Benjamin, W. See *Gellhorn, Benjamin, and Wagner,* 314
Bennett, A. See *Geyer, Bennett, and Rohr,* 80
Berman, M. See *Avigan, Steinberg, and Berman,* 216
Bernick, S. See *Morin, Bernick, Mead, and Alfin-Slater,* 432
Betzing, H. See *Eberhagen and Betzing,* 382
Bezman, A., J. M. Felts, and **R. J. Havel.** Relation between the incorporation of triglyceride fatty acids and heparin-released lipoprotein lipase from adipose tissue slices, 427
Biezenski, J. J. A simple chromatographic technique for removal of non-lipid contaminants from lipid extracts, 120
Bowman, R. L. See *Karmen, Giuffrida, and Bowman,* 44
———. See *Karmen, McCaffrey, and Bowman,* 372
Brady, R. O. See *Robinson, Brady, and Maxwell,* 243
Brodie, J. D. See *Knauss, Brodie, and Porter,* 197
Brot, N., W. J. Lossow, and **I. L. Chaikoff.** *In vitro* esterification of cholesterol by plasma: the effect of evisceration, 413
———. See *Lossow, Brot, and Chaikoff,* 207
Brown, J. L., and **J. M. Johnston.** Radioassay of lipid components separated by thin-layer chromatography, 480

C

Camerino, P. W., and **L. D. Wright** The biosynthesis of cholesterol in the developing chick embryo, 416
Carroll, K. K. The fatty acids of beef brain and spinal cord sphingolipid preparations, 263
———. Purification of C^{14}-labeled fatty acids by chromatography on acid-treated florisil, 388
Chaikoff, I. L. See *Lossow, Brot, and Chaikoff,* 207
———. See *Naidoo, Lossow, and Chaikoff,* 309
———. See *Brot, Lossow, and Chaikoff,* 413
Chang, T.-C. L., and **C. C. Sweeley.** Studies of canine adrenal polyenoic acids: locating double bonds by periodate-permanganate oxidation and gas-liquid chromatography, 170
Colodzin, M., E. M. Neptune, Jr., and **H. C. Sudduth.** Plasmalogens and phosphatides of rat diaphragm after incubation with palmitate-1-C^{14} *in vitro,* 234
———. See *Neptune, Sudduth, Colodzin, and Reish,* 229
Coots, R. H. Disproportionate labeling of oleic and linoleic acids during the biosynthesis of uniformly labeled fatty acids, 84
Coram, E. H. See *McCluer, Coram, and Lee,* 269
Cornwell, D. G., F. A. Kruger, and **H. B. Robinson.** Studies on the absorption of beta-carotene and the distribution of total carotenoid in human serum lipoproteins after oral administration, 65
———. See *Horrocks and Cornwell,* 165

D

Davis, J. R. See *Peterson, Lewis, and Davis,* 275
Day, A. J., and **N. H. Fidge.** The uptake and metabolism of C^{14}-labeled fatty acids by macrophages *in vitro,* 333
Dean, C. S. See *Lands and Dean,* 129
de Iongh, H., and **J. G. van Pelt.** Extraction of lipids from blood serum and liver tissue, 385
Delaney, S. E. See *Rinehart, Delaney, and Sheppard,* 383
Dhopeshwarkar, G. A., and **J. F. Mead.** Metabolism of methyl elaidate, 238
Di Luzio, N. R. See *Riggi and Di Luzio,* 339
Doizaki, W. M. See *Vogel, Doizaki, and Zieve,* 138
Dole, V. P. See *Meinertz and Dole,* 140
Duncan, W. R. H., and **G. A. Garton.** The C_{18} fatty acids of ox plasma lipids, 53
Duthie, A. H. See *McCarthy and Duthie,* 117

E

Eberhagen, D., and **H. Betzing.** An improved technique for dialysis of lipids, 382
Entenman, C. See *Skidmore and Entenman,* 356
———. See *Skidmore and Entenman,* 471

F

Fabro, S. Paper chromatography of cholesterol and desmosterol after bromination, 481
Farquhar, J. W. Identification and gas-liquid chromatographic behavior of plasmalogen aldehydes and their acetal, alcohol, and acetylated alcohol derivatives, 21
Feliński, L. See *Lough, Feliński, and Garton,* 478
Felts, J. M. See *Havel, Felts, and Van Duyne,* 297
———. See *Bezman, Felts, and Havel,* 427
Fidge, N. H. See *Day and Fidge,* 333
Freeman, N. K. See *Lindgren, Nichols, Freeman, and Wills,* 390

G

Galanos, D. S., and **V. M. Kapoulas.** Isolation of polar lipids from triglyceride mixtures, 134
Garton, G. A. See *Duncan and Garton,* 53
———. See *Lough, Feliński, and Garton,* 478
Gellhorn, A., W. Benjamin, and **M. Wagner.** The *in vitro* incorporation of acetate-1-C^{14} into individual fatty acids of adipose tissue from young and old rats, 314
Geyer, R. P., A. Bennett, and **A. Rohr.** Fatty acids of the triglycerides and phospholipids of HeLa cells and strain L fibroblasts, 80
Giuffrida, L. See *Karmen, Giuffrida, and Bowman,* 44
Gottfried, E. L. See *Norton, Gottfried, and Rapport,* 456

H

Hajra, A. K., and **N. S. Radin.** Collection of gas-liquid chromatographic effluents, 131
———, and **N. S. Radin.** Biosynthesis of the cerebroside odd-numbered fatty acids, 327
Hallgren, B., and **S. Larsson.** The glyceryl ethers in the liver oils of elasmobranch fish, 31
Havel, R. J., J. M. Felts, and **C. M. Van Duyne.** Formation and fate of endogenous triglycerides in blood plasma of rabbits, 297
———. See *Bezman, Felts, and Havel,* 427
Hellström, K., and **J. Sjövall.** Turnover of deoxycolic acid in the rabbit, 397
———, ———, and **G. Wigand.** Influence of semi-synthetic diet and type of fat on the turnover of deoxycholic acid in the rabbit, 405
Hofmann, A. F. Thin-layer adsorption chromatography of free and conjugated bile acids on silicic acid, 127

J. Lipid Research, October, 1962
Volume 3, Number 4

Author Index

Vol. 3, Nos. 1–4

A

Abadi, D. M. See *Lund, Abadi, and Mathies,* 95
Abell, L. L., and **E. H. Mosbach.** Hypocholesterolemic effect of methyltestosterone in rats, 88
Agranoff, B. W. Hydrolysis of long-chain alkyl phosphates and phosphatidic acid by an enzyme purified from pig brain, 190
Alfin-Slater, R. S. See *Morin, Bernick, Mead, and Alfin-Slater,* 432
Altschul, A. M. See *Ory, St. Angelo, and Altschul,* 99
Anderson, C. E. See *Williams, Anderson, and Jasik,* 378
Avigan, J., D. Steinberg, and **M. Berman.** Distribution of labeled cholesterol in animal tissues, 216

B

Barclay, M. See *Skipski, Peterson, and Barclay,* 467
Begemann, P. H. See *Sonneveld, Begemann, van Beers, Keuning, and Schogt,* 351
Benjamin, W. See *Gellhorn, Benjamin, and Wagner,* 314
Bennett, A. See *Geyer, Bennett, and Rohr,* 80
Berman, M. See *Avigan, Steinberg, and Berman,* 216
Bernick, S. See *Morin, Bernick, Mead, and Alfin-Slater,* 432
Betzing, H. See *Eberhagen and Betzing,* 382
Bezman, A., J. M. Felts, and **R. J. Havel.** Relation between the incorporation of triglyceride fatty acids and heparin-released lipoprotein lipase from adipose tissue slices, 427
Biezenski, J. J. A simple chromatographic technique for removal of non-lipid contaminants from lipid extracts, 120
Bowman, R. L. See *Karmen, Giuffrida, and Bowman,* 44
———. See *Karmen, McCaffrey, and Bowman,* 372
Brady, R. O. See *Robinson, Brady, and Maxwell,* 243
Brodie, J. D. See *Knauss, Brodie, and Porter,* 197
Brot, N., W. J. Lossow, and **I. L. Chaikoff.** *In vitro* esterification of cholesterol by plasma: the effect of evisceration, 413
———. See *Lossow, Brot, and Chaikoff,* 207
Brown, J. L., and **J. M. Johnston.** Radioassay of lipid components separated by thin-layer chromatography, 480

C

Camerino, P. W., and **L. D. Wright** The biosynthesis of cholesterol in the developing chick embryo, 416
Carroll, K. K. The fatty acids of beef brain and spinal cord sphingolipid preparations, 263
———. Purification of C^{14}-labeled fatty acids by chromatography on acid-treated florisil, 388
Chaikoff, I. L. See *Lossow, Brot, and Chaikoff,* 207
———. See *Naidoo, Lossow, and Chaikoff,* 309
———. See *Brot, Lossow, and Chaikoff,* 413
Chang, T.-C. L., and **C. C. Sweeley.** Studies of canine adrenal polyenoic acids: locating double bonds by periodate-permanganate oxidation and gas-liquid chromatography, 170
Colodzin, M., E. M. Neptune, Jr., and **H. C. Sudduth.** Plasmalogens and phosphatides of rat diaphragm after incubation with palmitate-1-C^{14} *in vitro,* 234
———. See *Neptune, Sudduth, Colodzin, and Reish,* 229
Coots, R. H. Disproportionate labeling of oleic and linoleic acids during the biosynthesis of uniformly labeled fatty acids, 84
Coram, E. H. See *McCluer, Coram, and Lee,* 269
Cornwell, D. G., F. A. Kruger, and **H. B. Robinson.** Studies on the absorption of beta-carotene and the distribution of total carotenoid in human serum lipoproteins after oral administration, 65
———. See *Horrocks and Cornwell,* 165

D

Davis, J. R. See *Peterson, Lewis, and Davis,* 275
Day, A. J., and **N. H. Fidge.** The uptake and metabolism of C^{14}-labeled fatty acids by macrophages *in vitro,* 333
Dean, C. S. See *Lands and Dean,* 129
de Iongh, H., and **J. G. van Pelt.** Extraction of lipids from blood serum and liver tissue, 385
Delaney, S. E. See *Rinehart, Delaney, and Sheppard,* 383
Dhopeshwarkar, G. A., and **J. F. Mead.** Metabolism of methyl elaidate, 238
Di Luzio, N. R. See *Riggi and Di Luzio,* 339
Doizaki, W. M. See *Vogel, Doizaki, and Zieve,* 138
Dole, V. P. See *Meinertz and Dole,* 140
Duncan, W. R. H., and **G. A. Garton.** The C_{18} fatty acids of ox plasma lipids, 53
Duthie, A. H. See *McCarthy and Duthie,* 117

E

Eberhagen, D., and **H. Betzing.** An improved technique for dialysis of lipids, 382
Entenman, C. See *Skidmore and Entenman,* 356
———. See *Skidmore and Entenman,* 471

F

Fabro, S. Paper chromatography of cholesterol and desmosterol after bromination, 481
Farquhar, J. W. Identification and gas-liquid chromatographic behavior of plasmalogen aldehydes and their acetal, alcohol, and acetylated alcohol derivatives, 21
Feliński, L. See *Lough, Feliński, and Garton,* 478
Felts, J. M. See *Havel, Felts, and Van Duyne,* 297
———. See *Bezman, Felts, and Havel,* 427
Fidge, N. H. See *Day and Fidge,* 333
Freeman, N. K. See *Lindgren, Nichols, Freeman, and Wills,* 390

G

Galanos, D. S., and **V. M. Kapoulas.** Isolation of polar lipids from triglyceride mixtures, 134
Garton, G. A. See *Duncan and Garton,* 53
———. See *Lough, Feliński, and Garton,* 478
Gellhorn, A., W. Benjamin, and **M. Wagner.** The *in vitro* incorporation of acetate-1-C^{14} into individual fatty acids of adipose tissue from young and old rats, 314
Geyer, R. P., A. Bennett, and **A. Rohr.** Fatty acids of the triglycerides and phospholipids of HeLa cells and strain L fibroblasts, 80
Giuffrida, L. See *Karmen, Giuffrida, and Bowman,* 44
Gottfried, E. L. See *Norton, Gottfried, and Rapport,* 456

H

Hajra, A. K., and **N. S. Radin.** Collection of gas-liquid chromatographic effluents, 131
———, and **N. S. Radin.** Biosynthesis of the cerebroside odd-numbered fatty acids, 327
Hallgren, B., and **S. Larsson.** The glyceryl ethers in the liver oils of elasmobranch fish, 31
Havel, R. J., J. M. Felts, and **C. M. Van Duyne.** Formation and fate of endogenous triglycerides in blood plasma of rabbits, 297
———. See *Bezman, Felts, and Havel,* 427
Hellström, K., and **J. Sjövall.** Turnover of deoxycolic acid in the rabbit, 397
———, ———, and **G. Wigand.** Influence of semi-synthetic diet and type of fat on the turnover of deoxycholic acid in the rabbit, 405
Hofmann, A. F. Thin-layer adsorption chromatography of free and conjugated bile acids on silicic acid, 127

———, Separation of 1- and 2-monoglycerides by thin-layer adsorption chromatography on hydroxyl-apatite, 391
Hollenberg, C. H., and **I. Horowitz.** The lipolytic activity of rat kidney cortex and medulla, 445
Hölzl, J. See *Wagner, Lissau, Hölzl, and Hörhammer,* 177
Hörhammer, L. See *Wagner, Lissau, Hölzl, and Hörhammer,* 177
Horowitz, I. See *Hollenberg and Horowitz,* 445
Horrocks, L. A., and **D. G. Cornwell.** The simultaneous determination of glycerol and fatty acids in glycerides by gas-liquid chromatography, 165
Horwitz, D. See *Mueller and Horwitz,* 251
Houle, C. R. See *Richardson, Tappel, Smith, and Houle,* 344

J

Jasik, A. D. See *Williams, Anderson, and Jasik,* 378
Johnston, J. M. See *Brown and Johnston,* 480

K

Kaneshiro, T., and **A. G. Marr.** Phospholipids of *Azotobacter agilis, Agrobacterium tumefaciens,* and *Escherichia coli,* 184
Kapoulas, V. M. See *Galanos and Kapoulas,* 134
Karmen, A., L. Giuffrida, and **R. L. Bowman.** Radioassay by gas-liquid chromatography of lipids labeled with carbon-14, 44
———, **I. McCaffrey,** and **R. L. Bowman.** A flow-through method for scintillation counting of carbon-14 and tritium in gas-liquid chromatographic effluents, 372
Keuning, R. See *Sonneveld, Begemann, van Beers, Keuning, and Schogt,* 351
Klein, P. D., and **P. A. Szczepanik.** The differential migration of sterol acetates on silica gels and its application to the fractionation of sterol mixtures, 460
Knauss, H. J., J. D. Brodie, and **J. W. Porter.** Studies on a mevaldic acid reductase of rat liver, 197
Korn, E. D. The lipoprotein lipase of cow's milk, 246
Kruger, F. A. See *Cornwell, Kruger, and Robinson,* 65
Kummerow, F. A. See *Nishida and Kummerow,* 448

L

Lands, W. E. M., and **C. S. Dean.** The ultramicro detection of lipids, 129
Larsson, S. See *Hallgren and Larsson,* 31
Lasker, R., and **G. H. Theilacker.** The fatty acid composition of the lipids of some Pacific sardine tissues in relation to ovarian maturation and diet, 60
Lauter, C. J., and **E. G. Trams.** A spectrophotometric determination of sphingosine, 136
Lee, H. S. See *McCluer, Coram, and Lee,* 269
Levis, G. See *Malamos, Miras, Levis, and Mantzos,* 222
Lewis, H. L. See *Peterson, Lewis, and Davis,* 275
Lindgren, F. T. See *Nichols, Rehnborg, Lindgren, and Wills,* 320
———, **A. V. Nichols, N. K. Freeman,** and **R. D. Wills.** Potential contamination in the analysis of methyl esters of fatty acids by gas-liquid chromatography, 390
Lissau, Ä. See *Wagner, Lissau, Hölzl, and Hörhammer,* 177
Lossow, W. J., N. Brot, and **I. L. Chaikoff.** Disposition of the cholesterol moiety of a chylomicron-containing lipoprotein fraction of chyle in the rat, 207
———. See *Naidoo, Lossow, and Chaikoff,* 309
———. See *Brot, Lossow, and Chaikoff,* 413
Lough, A. K., L. Feliński, and **G. A. Garton.** The production of methyl esters of fatty acids as artifacts during the extraction or storage of tissue lipids in the presence of methanol, 478
Lowe, A. E. See *Popják, Lowe, and Moore,* 364
Lund, P. K., D. M. Abadi, and **J. C. Mathies.** Lipid composition of normal human bone marrow as determined by column chromatography, 95
Lundberg, W. O. See *Mahadevan and Lundberg,* 106

M

McCaffrey, I. See *Karmen, McCaffrey, and Bowman,* 372
McCarthy, R. D., and **A. H. Duthie.** A rapid quantitative method for the separation of free fatty acids from other lipids, 117
McCluer, R. H., E. H. Coram, and **H. S. Lee.** A silicic acid adsorption method for the determination of ganglioside sialic acid, 269
Mahadevan, V., and **W. O. Lundberg.** Preparation of cholesterol esters of long-chain fatty acids and characterization of cholesteryl arachidonate, 106
Malamos, B., C. Miras, G. Levis, and **J. Mantzos.** The *in vitro* incorporation of acetate-1-C^{14} into normal and leukemic leukocyte lipids, 222
Mantzos, J. See *Malamos, Miras, Levis, and Mantzos,* 222
Marinetti, G. V. Chromatographic separation, identification, and analysis of phosphatides, 1
Marr, A. G. See *Kaneshiro and Marr,* 184
Masoro, E. J. Biochemical mechanisms related to the homeostatic regulation of lipogenesis in animals, 149
Mathies, J. C. See *Lund, Abadi, and Mathies,* 95
Mattson, F. H., and **R. A. Volpenhein.** Synthesis and properties of glycerides, 281
Maxwell, C. R. See *Robinson, Brady, and Maxwell,* 243
Mead, J. F. See *Dhopeshwarkar and Mead,* 238
———. See *Morin, Bernick, Mead, and Alfin-Slater,* 432
Meinertz, H., and **V. P. Dole.** Radioassay of low activity fractions encountered in gas-liquid chromatography of long-chain fatty acids, 140
Merits, I. Gas-liquid chromatography of adrenal cortical steroid hormones, 126
Miras, C. See *Malamos, Miras, Levis, and Mantzos,* 222
Moore, D. See *Popják, Lowe, and Moore,* 364
Morin, R. J., S. Bernick, J. F. Mead, and **R. S. Alfin-Slater.** The influence of exogenous cholesterol on hepatic lipid composition of the rat, 432
Mosbach, E. H. See *Abell and Mosbach,* 88
Mueller, P. S. The absence of plasma free fatty acid response to epinephrine in vitamin-C-deprived guinea pigs, 92
———, and **D. Horwitz.** Plasma free fatty acid and blood glucose responses to analogues of norepinephrine in man, 251
Murty, N. L. See *Reiser, Murty, and Rakoff,* 56

N

Naidoo, S. S., W. J. Lossow, and **I. L. Chaikoff.** Disappearance of the cholesterol moiety of an injected chylomicron-containing fraction of chyle from the circulation of the rat, 309
Nelson, G. J. Studies on human serum lipoprotein phospholipids and phospholipid fatty acid composition by silicic acid chromatography, 71
———. The lipid composition of normal mouse liver, 256
Neptune, E. M., Jr., H. C. Sudduth, M. Colodzin, and **J. J. Reish, Jr.** Incorporation of palmitate-1-C^{14} into neutral lipid of rat diaphragm, 229
———. See *Colodzin, Neptune, and Sudduth,* 234
Nichols, A. V., C. S. Rehnborg, F. T. Lindgren, and **R. D. Wills.** Effects of oil ingestion on lipoprotein fatty acids in man, 320
———. See *Lindgren, Nichols, Freeman, and Wills,* 390
Nicolaides, N. See *Stein and Nicolaides,* 476
Nishida, T., and **F. A. Kummerow.** Interaction of low-density lipoproteins of serum with hemin, 448
Norton, W. T., E. L. Gottfried, and **M. M. Rapport.** The structure of plasmalogens. VI. Configuration of the double bond in the α,β-unsaturated ether linkage of phosphatidal choline, 456

O

Olivecrona, T. Metabolism of chylomicrons labeled with C^{14}-glycerol-H^3-palmitic acid in the rat, 439
Ory, R. L., A. J. St. Angelo, and **A. M. Altschul.** The acid lipase of the castor bean. Properties and substrate specificity, 99

P

Peterson, G. E., H. L. Lewis, and **J. R. Davis.** Preparation of uniform dispersions of cholesterol and other water-insoluble carbon sources in agar media, 275
Peterson, R. F. See *Skipski, Peterson, and Barclay,* 467
Popják, G., A. E. Lowe, and **D. Moore.** Scintillation counter for simultaneous assay of H^3 and C^{14} in gas-liquid chromatographic vapors, 364
Porter, J. W. See *Knauss, Brodie, and Porter,* 197
Poukka, R., L. Vasenius, and **O. Turpeinen.** Catalytic hydrogenation of fatty acid methyl esters for gas-liquid chromatography, 128

R

Radin, N. S. See *Hajra and Radin*, 131
———. See *Hajra and Radin*, 327
Rakoff, H. See *Reiser, Murty, and Rakoff*, 56
Rapport, M. M. See *Norton, Gottfried, and Rapport*, 456
Rehnborg, C. S. See *Nichols, Rehnborg, Lindgren, and Wills*, 320
Reiser, R., N. L. Murty, and **H. Rakoff.** Biosynthesis of linoleic acid from 1-C^{14}-*cis*-2-octenoic acid by the laying hen, 56
Reish, J. J. See *Neptune, Sudduth, Colodzin, and Reish*, 229
Renkonen, O. Breakdown of lecithin on aluminum oxide columns, 181
Richardson, T., A. L. Tappel, L. M. Smith, and **C. R. Houle.** Polyunsaturated fatty acids in mitochondria, 344
Riggi, S. J., and **N. R. Di Luzio.** The influence of reticuloendothelial stimulation on the response of rats to dietary cholesterol, 339
Rinehart, R. K., S. E. Delaney, and **H. Sheppard.** Determination of cholesterol as the tomatinide using the iron reagent, 383
Robinson, H. B. See *Cornwell, Kruger, and Robinson*, 65
Robinson, J. D., R. O. Brady, and **C. R. Maxwell.** Stereospecific reduction of crotonyl coenzyme A, 243
Rohr, A. See *Geyer, Bennett, and Rohr*, 80

S

Sakagami, T., and **D. B. Zilversmit.** Dextran sulfate precipitation and ultracentrifugation of lipoproteins from hypercholesterolemic dog serum, 111
Schogt, J. C. M. See *Sonneveld, Begemann, van Beers, Keuning, and Schogt*, 351
Sheppard, H. See *Rinehart, Delaney, and Sheppard*, 383
Sjövall, J. See *Hellström and Sjövall*, 397
———. See *Hellström, Sjövall, and Wigand*, 405
Skidmore, W. D., and **C. Entenman.** The determination of esterified fatty acids in glycerides, cholesterol esters, and phosphatides, 356
———, and ———. Two-dimensional thin-layer chromatography of rat liver phosphatides, 471
Skipski, V. P., R. F. Peterson, and **M. Barclay.** Separation of phosphatidyl ethanolamine, phosphatidyl serine, and other phospholipids by thin-layer chromatography, 467
Smith, L. M. See *Richardson, Tappel, Smith, and Houle*, 344
Sonneveld, W., P. H. Begemann, G. J. van Beers, R. Keuning, and **J. C. M. Schogt.** 3,7,11,15-Tetramethylhexadecanoic acid, a constituent of butterfat, 351
St. Angelo, A. J. See *Ory, St. Angelo, and Altschul*, 99
Stein, R. A., and **N. Nicolaides.** Structure determination of unsaturated methyl esters of fatty acids by gas-liquid chromatography of the aldehydes formed by triphenyl phosphine reduction of the ozonides, 476
Steinberg, D. See *Avigan, Steinberg, and Berman*, 216
Sudduth, H. C. See *Neptune, Sudduth, Colodzin, and Reish*, 229
———. See *Colodzin, Neptune, and Sudduth*, 234
Svennerholm, L., and **H. Thorin.** Quantitative isolation of brain sulfatides, 483
Sweeley, C. C. See *Chang and Sweeley*, 170
Szczepanik, P. A. See *Klein and Szczepanik*, 460

T

Tappel, A. L. See *Richardson, Tappel, Smith, and Houle*, 344
Theilacker, G. H. See *Lasker and Theilacker*, 60
Thorin, H. See *Svennerholm and Thorin*, 483
Tietz, A. Fat transport in the locust, 421
Trams, E. G. See *Lauter and Trams*, 136
Turpeinen, O. See *Poukka, Vasenius, and Turpeinen*, 128

V

van Beers, G. J. See *Sonneveld, Begemann, van Beers, Keuning, and Schogt*, 351
Van Duyne, C. M. See *Havel, Felts, and Van Duyne*, 297
van Pelt, J. G. See *de Iongh and van Pelt*, 385
Vasenius, L. See *Poukka, Vasenius, and Turpeinen*, 128
Vogel, W. C., W. M. Doizaki, and **L. Zieve.** Rapid thin-layer chromatographic separation of phospholipids and neutral lipids of serum, 138
Volpenhein, R. A. See *Mattson and Volpenhein*, 281

W

Wagner, H., Ä. Lissau, J. Hölzl, and **L. Hörhammer.** The incorporation of P^{32} into the inositol phosphatides of rat brain, 177
Wagner, M. See *Gellhorn, Benjamin, and Wagner*, 314
Wigand, G. See *Hellström, Sjövall, and Wigand*, 405
Williams, J. N., Jr., C. E. Anderson, and **A. D. Jasik.** A sensitive and specific method for plasmalogens and other enol ethers, 378
Wills, R. D. See *Nichols, Rehnborg, Lindgren, and Wills*, 320
———. See *Lindgren, Nichols, Freeman, and Wills*, 390
Wright, L. D. See *Camerino and Wright*, 416

Z

Zieve, L. See *Vogel, Doizaki, and Zieve*, 138
Zilversmit, D. B. See *Sakagami and Zilversmit*, 111

J. Lipid Research, October, 1962
Volume 3, Number 4

Subject Index

Vol. 3 Nos. 1–4

(NM) = Notes on Methodology (Rev) = Review

A

Acetals: From plasmalogen aldehydes; identification and gas-liquid chromatography, *Farquhar*, 21
Acetate: Cerebroside fatty acids, biosynthesis, *Hajra and Radin*, 327
—: Incorporation into fatty acids, adipose tissue *in vitro*, young and old rats, *Gellhorn, Benjamin, and Wagner*, 314
—: Leukocyte lipids, normal and leukemic, incorporation *in vitro*, *Malamos, Miras, Levis, and Mantzos*, 222
Adipose tissue: Fatty acids, synthesis from acetate *in vitro*, young and old rats, *Gellhorn, Benjamin, and Wagner*, 314
— —: Rat; uptake doubly-labeled chylomicrons, *Olivecrona*, 439
— —: Slices; heparin-released lipoprotein lipase, relation to triglyceride uptake, *Bezman, Felts, and Havel*, 427
Alcohols: Acetylated; from plasmalogen aldehydes; identification and gas-liquid chromatography, *Farquhar*, 21
—: From plasmalogen aldehydes; identification and gas-liquid chromatography, *Farquhar*, 21
Aldehydes: Gas-liquid chromatography; from reductive ozonolysis, unsaturated fatty acid esters (NM), *Stein and Nicolaides*, 476
—: Plasmalogen; acetal, alcohol and acetylated alcohol derivatives; identification and gas-liquid chromatography, *Farquhar*, 21
Alkyl phosphates: Hydrolysis, by pig brain enzyme, *Agranoff*, 190

B

Bacteria: Gram negative; composition of lipids, *Kaneshiro and Marr*, 184
Bile acids: Rabbit; blood concentration, fecal excretion; dietary effects, *Hellström, Sjövall, and Wigand*, 405
— —: —; tissue distribution, fecal excretion, *Hellström and Sjövall*, 397
— —: Thin layer, silicic acid, chromatography of (NM), *Hofmann*, 127
Bone marrow: Human; lipid composition of, *Lund, Abadi, and Mathies*, 95
— —: — and cow; identification of glyceryl ethers, *Hallgren and Larsson*, 39
Brain: sphingolipid fatty acids, *Carroll*, 263
Butterfat: Tetramethylhexadecanoic acid, *Sonneveld, Begemann, van Beers, Keuning, and Schogt*, 351
Butyrate: Formation from crotonyl coenzyme A, sterospecific reduction, *Robinson, Brady, and Maxwell*, 243

β-Carotene: Absorption of orally administered, distribution in human serum lipoproteins, *Cornwell, Kruger, and Robinson*, 65

C

Castor bean: Lipase; properties and substrate specificity, *Ory, St. Angelo, and Altschul*, 99
Cerebroside sulfate: Brain; quantitative isolation (NM), *Svennerholm and Thorin*, 483
Cerebrosides: Fatty acids; biosynthesis, rat brain, *Hajra and Radin*, 327
Cholesterol: Brominated, paper chromatography (NM), *Fabro*, 481
—: Chylomicron; disappearance from circulation, rat, *Naidoo, Lossow, and Chaikoff*, 309
—: —; lipoprotein, disposition in rat, *Lossow, Brot, and Chaikoff*, 207
—: Determination; tomatine, iron reagent (NM) *Rinehart, Delaney, and Sheppard*, 383
—: Developing chick embryo, biosynthesis, mevalonic acid, *Camerino and Wright*, 416
—: Distribution in animal tissues, *Avigan, Steinberg, and Berman*, 216
—: Esterification, plasma *in vitro*, evisceration effect, *Brot, Lossow, and Chaikoff*, 413
—: Exogenous; effect on rat liver lipid composition, *Morin, Bernick, Mead, and Alfi-Slater*, 432
—: Metabolism; stimulation of reticuloendethelial system, *Riggi and Di Luzio* 339
—: Rabbit serum; effect of dietary fats, *Hellström, Sjövall, and Wigand*, 405
—: Uniform dispersions, agar media (NM), *Peterson, Lewis, and Davis*, 275
— esters: Ester determination, *Skidmore and Entenman*, 356
— —: Long-chain fatty acids; synthesis, *Mahadevan and Lundberg*, 106
— —: Ox plasma; fatty acid composition, *Duncan and Garton*, 53
Cholesteryl aracidonate: Synthesis and characterization of, *Mahadevan and Lundberg*, 106
Chromatography: Alumina; glyceryl ethers, *Hallgren and Larsson*, 31, 39
—: Aluminum oxide; breakdown of lecithin on columns, *Renkonen*, 181
—: DEAE; cerebrosides and sulfatides (NM), *Svennerholm and Thorin*, 483
—: Florisil, acid-treated; C^{14}-fatty acids (NM), *Carroll*, 388
—: Gas-liquid; adrenal cortical steroid hormones, (NM), *Merits*, 126
—: —: collection of effluents (NM), *Hajra and Radin*, 131
—: —: —; fatty acid methyl esters, potential contamination (NM), *Lindgren, Nichols, Freeman, and Wills*, 390
—: —: —; fatty acids of sardine lipids, *Lasker and Theilacker*, 60
—: —: —; flow-through scintillation counting, C^{14}, H^3, *Karmen, McCaffrey, and Bowman*, 372
—: —: —; glyceryl ethers, *Hallgren and Larsson*, 31, 39
—: —: —; hydrogenation of fatty acid methyl esters for (NM), *Poukka, Vasenius, and Turpeinen*, 128
—: —: —; location of double bonds in polyenoic acid after periodate-permanganate oxidation, *Chang and Sweeley*, 170
—: —: —; plasmalogen aldehydes and their acetal, alcohol and acetylated alcohol derivatives, *Farquhar*, 21
—: —: —; radioassay of C^{14}-lipids, *Karmen, Giuffrida and Bowman*, 44
—: —: —; — long-chain fatty acids (NM), *Meinertz and Dole*, 140
—: —: —; reductive ozonolysis products, aldehydes, unsaturated fatty acid (NM), *Stein and Nicolaides*, 476
—: —: —; simultaneous determination of glycerol and fatty acids in glycerides, *Horrocks and Cornforth*, 165
—: —: —; — H^3 and C^{14} assay, *Popjak, Lowe, and Moore*, 364
—: Paper; brominated cholesterol, desmosterol (NM), *Fabro*, 481
—: Separation, identification, and analysis of phosphatides (Rev), *Marinetti*, 1
—: Silica gel columns; sterol acetates, comparison silica gels, *Klein and Szczepanik*, 460
—: — —: —; thin-layer, phospholipids, *Skipski, Peterson, and Barclay*, 467
—: Silicic acid; cerebrosides and sulfatides (NM), *Svennerholm and Thorin*, 483
—: — —: lipids of human bone marrow, *Lund, Abadi, and Mathies*, 95
—: — —: phospholipids of human serum lipoproteins; effect of fatty acid composition, *Nelson*, 71
—: — — paper; separation of nonlipids from lipids by, *Biezenski*, 120
—: — —: thin layer; free and conjugated bile acids (NM), *Hofmann*, 127
—: — —, — —, radioassay, lipids (NM), *Brown and Johnston*, 480
—: — —, — —; separation of serum phospholipids and neutral lipids (NM), *Vogel, Doizaki, and Zieve*, 138
—: — —, — —; two-dimensional, rat liver phosphatides, *Skidmore and Entenman*, 471

Chylomicrons: Cholesterol moiety; disappearance from circulation, rat, *Naidoo, Lossow, and Chaikoff*, 309
—: — —; disposition in rat, *Lossow, Brot, and Chaikoff*, 207
—: Doubly labeled; metabolism, rat, *Olivecrona* 439
Crotonyl coenzyme A: Stereospecific reduction, *Robinson, Brady, and Maxwell*, 243

D

Deoxycholic acid: Rabbit; turnover, *Hellström and Sjövall*, 397
— —: —; —, effect of dietary lipids, *Hellström, Sjövall, and Wigand*, 405
Desmosterol: Brominated, paper chromatography (NM), *Fabro*, 481
Dextran sulfate: Precipitation of lipoproteins from hypercholesterolemic dog serum, *Sakagami and Zilversmit*, 111
Dialysis: Lipids (NM), *Eberhagen and Betzing*, 382
Diaphragm: Rat; neutral lipid, palmitate incorporation, *Neptune, Sudduth, Colodzin, and Reish*, 229
—: —; plasmalogens, phosphatides, palmitate incorporation *in vitro*, *Colodzin, Neptune, and Sudduth*, 234
Diglycerides: Synthesis and properties (Rev.), *Mattson and Volpenheim*, 281

E

Eggs: Hen; identification of glyceryl ethers in yolk, *Hallgren and Larsson*, 39
Elaidate: Methyl ester; metabolism in fat-deficient guinea pigs, *Dhopeshwarkar and Mead*, 238
Enol ethers: Spectrophotometric determination, *Williams, Anderson, and Jasik*, 378
Epinephrine: Absence of response of plasma free fatty acids to, in vitamin-C-deprived guinea pigs, *Mueller*, 92
Erythrocyte: Human; plasmalogen; identification and gas-liquid chromatography of aldehydes, *Farquhar*, 21
Esters: Fatty acids; determination, *Skidmore and Entenman*, 356
Ethers: Enol; spectrophotometric determination, *Williams, Anderson, and Jasik*, 378
—: α,β-Unsaturated; phosphatidal choline, double bond configuration, *Norton, Gottfried, and Rapport*, 456

F

Fatty acids: Chromatography; acid-treated Florisil (NM), *Carroll*, 388
— —: Esters; determination, *Skidmore and Entenman*, 356
— —: Even-numbered; rat brain cerebrosides, biosynthesis, *Hajra and Radin*, 327
— —: Lipoprotein; man, effect of oil ingestion, *Nichols, Rehnborg, Lindgren, and Wills*, 320
— —: Locust fat body; uptake, release *in vitro*, *Tietz*, 421
— —: Long chain; radioassay in gas-liquid chromatography (NM), *Meinertz and Dole*, 140
— —: Macrophages; in vitro uptake and metabolism, *Day and Fidge*, 333
— —: Methyl esters; artifacts, storage of lipids in methanol (NM), *Lough, Felinski, and Garton*, 478
— —: — —; gas-liquid chromatography, potential contamination (NM), *Lindgren, Nichols, Freeman, and Wills*, 390
— —: — —; hydrogenation of, for gas-liquid chromatography (NM), *Poukka, Vasenius, and Turpeinen*, 128
— —: Odd-numbered; rat brain cerebrosides, biosynthesis, *Hajra and Radin*, 327
— —: Polyunsaturated; mitochondria, *Richardson, Tappel, Smith, and Houle*, 344
— —: Sphingolipids; beef brain, spinal cord, *Carroll*, 263
— —: Synthesis from acetate, adipose tissue *in vitro*, young and old rats, *Gellhorn, Benjamin, and Wagner*, 314
— —: Unsaturated, methyl esters; structure determination, reduction of ozonides, gas-liquid chromatography aldehydes (NM), *Stein and Nicolaides*, 476
Fibroblasts: Mouse, strain L; fatty acid composition of triglycerides and phospholipids, *Geyer, Bennett, and Rohr*, 80
Fish oil: Elasmobranch; identification of glyceryl ethers, *Hallgren and Larsson*, 31
Free fatty acids: Plasma; absence of response to epinephrine in vitamin-C-deprived guinea pigs, *Mueller*, 92
— — —: —; man, response to norepinephrine analogues, *Mueller and Horwitz*, 251
— — —: — ox; composition, *Duncan and Garton*, 53
— — —: Quantitative separation from other lipids, *McCarthy and Duthie*, 117

G

Ganglioside sialic acid: Determination, silicic acid, *McCluer, Coram, and Lee*, 269
Glucose: Blood, man; response to norepinephrine analogues, *Mueller and Horwitz*, 251
Glycerides: Ester determination, *Skidmore and Entenman*, 356
—: Locust fat body; release *in vitro*, *Tietz*, 421
—: Simultaneous determination of glycerol and fatty acids in, by gas-liquid chromatography, *Horrocks and Cornforth*, 165
—: Synthesis and properties (Rev), *Mattson and Volpenhein*, 281
Glyceryl ethers: In liver oils of elasmobranch fish; chromatographic isolation and identification, *Hallgren and Larsson*, 31
— —: In man and cow; chromatographic isolation and identification, *Hallgren and Larsson*, 39

H

Heart: Rat; uptake doubly-labled chylomicrons, *Olivecrona*, 439
HeLa cells: Fatty acid composition of triglycerides and phospholipids, *Geyer, Bennett, and Rohr*, 80
Hemin: Interaction, with serum low-density lipoproteins, *Nishida and Kummerow*, 448
Hemolymph: Glyceride release, locust fat body, *Tietz*, 421
Homeostasis: Biochemical mechanisms of regulation of lipogenesis in animals (Rev), *Masora*, 149
Hydrogenation: Fatty acid methyl esters for gas-liquid chromatography (NM), *Poukka, Vasenius, and Turpeinen*, 128
Hypercholesterolemia: Dog serum lipoproteins; dextran sulfate precipitation and ultracentrifugation of, *Sakagami and Zilversmit*, 111
Hypocholesterolemia: Effect of methyltestosterone in rats, *Abell and Mosbach*, 88

I

Inositol phosphatides: Rat brain; incorporation of p^{32}, *Wagner, Lissau, Hölzl, and Hörhammer*, 177
Iron reagent: Cholesterol determination (NM), *Rinehart, Delaney, and Sheppard*, 383

K

Kidney: Medulla and cortex; rat, lipase content, *Hollenberg and Horowitz*, 445

L

Lecithin: Breakdown on aluminum oxide columns, *Renkonen*, 181
Leukocytes: Normal and leukemic; lipids, acetate incorporation *in vitro*, *Malamos, Miras, Levis, and Mantzos*, 222
Linoleate: Biosynthesis, from acetate and sucrose in Penicillium javanicum, *Coots*, 84
—: —, — octenoate, *Reiser, Murty, and Rakoff*, 56
Lipase: Castor bean; properties and substrate specificity, *Ory, St. Angelo, and Altschul*, 99
—: Lipoprotein; cow's milk, *Korn*, 246
—: —; heparin-released from adipose, relation to triglyceride uptake *in vitro*, *Bezman, Felts, and Havel*, 427
—: —; rat kidney cortex, medulla, *Hollenberg and Horowitz*, 445
Lipids: Bone marrow, normal human; composition, *Lund, Abadi, and Mathies*, 95
—: Dialysis (NM), *Eberhagen and Betzing*, 382
—: Extraction; blood serum, liver (NM), *de Iongh and van Pelt*, 385
—: Gram negative bacteria; composition of phospholipids and neutral lipids, *Kaneshiro and Marr*, 184
—: Leukocyte, normal, leukemic; acetate incorporation *in vitro*, *Malamos, Miras, Levis, and Mantzos*, 222
—: Locust fat body; uptake and release of fat, *in vitro*, *Tietz*, 421
—: Macrophage; fatty acid incorporation *in vitro*, *Day and Fidge*, 333
—: Mouse liver; composition, *Nelson*, 256
—: Neutral; separation from phospholipids by thin-layer chromatography (NM), *Vogel, Doizaki, and Zieve*, 138
—: Ox plasma; composition of the fatty acids, *Duncan and Garton*, 53
—: Polar; isolation from triglyceride mixtures (NM), *Galanos and Kapoulas*, 134
—: Quantitative separation of free fatty acids from, *McCarthy and Duthie*, 117

—: Radioassay; gas-liquid chromatography, *Karmen, Giuffrida, and Bowman,* 44
—: Radioassay; thin-layer chromatography (NM), *Brown and Johnston,* 480
—: Rat diaphragm; palmitate incorporation, *Neptune, Sudduth, Colodzin, and Reish,* 229
—: — liver; composition, influence of exogenous cholesterol, *Morin, Bernick, Mead, and Alfin-Slater,* 432
—: Sardine; fatty acid composition of tissues related to ovarian maturation and diet, *Lasker and Theilacker,* 60
—: Separation of non-lipids from, by silicic acid paper chromatography, *Biezenksi,* 120
—: Storage in methanol, fatty acid methyl ester artifact (NM), *Lough, Felinski, and Garton,* 478
—: Thin-layer, silicic acid chromatography, radioassay (NM), *Brown and Johnston,* 480
—: Ultramicro detection of (NM), *Lands and Deam,* 129
Lipogenesis: Biochemical mechanisms, of homeostatic regulation in animals, (Rev), Masora, 149
Lipoproteins: Chylomicron-containing fraction; cholesterol moiety disposition in rat, *Lossow, Brol, and Chaikoff,* 207
—: Human serum; distribution of carotenoids in after oral administration, *Cornwell, Kruger, and Robinson,* 65
—: Hypercholesterolemic dog serum; dextran sulfate precipitation and ultracentrifugation of, *Sakagami and Zilversmit,* 111
—: Low-density; rabbit plasma; triglyceride moiety, synthesis, transport, *Havel, Felts, and Van Duyne,* 297
—: —-—; serum, interaction, hemin, *Nishida and Kummerow,* 448
—: Man; fatty acids, effect of oil ingestion, *Nichols, Rehnborg, Lindgren, and Wills,* 320
—: Phospholipids of human serum; fatty acid composition, *Nelson,* 71
—: Triglycerides; incorporation in adipose tissue *in vitro,* lipoprotein lipase, *Bezman, Felts, and Havel,* 427
Liver: Mouse; lipid composition, *Nelson,* 256
—: Rat; uptake doubly labeled chylomicrons, *Olivecrona,* 439
Locust: Fat body; lipid uptake, release, *in vitro, Tietz,* 421

M

Macrophages: Fatty acid uptake, metabolism *in vitro, Day and Fidge,* 333
Methyl elaidate: Metabolism, fat-deficient guinea pigs, *Dhopeshwarkar and Mead,* 238
Methyltestosterone: Hypocholesterolemic effect in rats, *Abell and Mosbach,* 88
Mevaldic acid: Reduction to mevalonic acid by rat liver enzyme, *Knauss, Brodie, and Porter,* 197
— — reductase: Rat liver; partial purification and properties, *Knauss, Brodie, and Porter,* 197
Mevalonate: Cholesterol biosynthesis, developing chick embryo, *Camerino and Wright,* 416
Milk: Cow; lipoprotein lipase, *Korn,* 246
—: Human and bovine; identification of glyceryl ethers, *Hallgren and Larsson,* 39
Mitochondria: Polyunsaturated fatty acids, *Richardson, Tappel, Smith, and Houle,* 344
Monoglycerides: Synthesis, properties (Rev), *Mattson and Volpenheim,* 281

N

Norepinephrine: Analogues; response of free fatty acids and glucose in man, *Mueller and Horwitz,* 251

O

Octenoate: Synthesis of linoleate from, in laying hen, *Reiser, Murty, and Rakoff,* 56
Oil: Ingestion; man, effect on lipoprotein fatty acids, *Nichols, Rehnborg, Lindgren, and Wills,* 320
Oleate: Biosynthesis of, from acetate and sucrose in Penicillium javanicum, *Coots,* 84
Ozonolysis: Structure unsaturated fatty acids, reduction ozonides, gas-liquid chromatography aldehydes (NM), *Stein and Nicolaides,* 476

P

Palmitate: Fat-body, locust; uptake, release of lipids *in vitro, Tietz,* 421
—: Macrophages; uptake and metabolism, *in vitro, Day and Fidge,* 333
—: Phosphatides, rat diaphragm, incorporation *in vitro, Colodzin, Neptune, and Sudduth,* 234
—: Plasmalogens, rat diaphragm, incorporation *in vitro, Colodzin, Neptune and Sudduth,* 234
—: Rat diaphragm lipid; incorporation, *Neptune, Sudduth, Colodzin, and Reish,* 229
Phosphatidal choline: Configuration of double bond, α,β-unsaturated ether, *Norton, Gottfried, and Rapport,* 456
Phosphatides: Chromatographic separation, identification and analysis (Rev), *Marinetti,* 1
—: Ester determination, *Skidmore and Entenman,* 356
—: Rat diaphragm; palmitate incorporation *in vitro, Colodzin, Neptune, and Sudduth,* 234
—: — liver; two-dimensional thin-layer chromatography, *Skidmore and Entenman,* 471
Phosphatidic acid: Hydrolysis by pig brain enzyme, *Agranoff,* 190
— —: Phosphatase: Pig brain; hydrolysis of alkyl phosphates and phosphatidic acid, *Agranoff,* 190
Phosphatidyl ethanolamine: Thin-layer chromatography, *Skipski, Peterson, and Barclay,* 467
— serine: Thin-layer chromatography, *Skipski, Peterson and Barclay,* 467
Phospholipids: Gram negative bacteria; composition, *Kaneshiro and Marr,* 184
—: HeLa cell, strain L fibroblasts; fatty acid composition of triglycerides and phospholipids, *Geyer, Bennett, and Rohr,* 80
—: Human serum lipoproteins; fatty acid composition, chromatography on silicic acid, *Nelson,* 71
—: Inositol; incorporation of P^{32} into rat brain, *Wagner, Lissau, Hölzl, and Horhammer,* 177
—: Ox plasma; fatty acid composition, *Duncan and Garton,* 53
—: Rat brain; composition and P^{32} incorporation, *Wagner, Lissau, Hölzl, and Hörhammer,* 177
—: Separation from neutral lipids by thin-layer chromatography (NM), *Vogel, Doizaki, and Zieve,* 138
—: Thin-layer chromatography, *Skipski, Peterson, and Barclay,* 467
Plasma: Esterification of cholesterol *in vitro,* evisceration affect, *Brot, Lossow, and Chaikoff,* 413
— lipids: Ox; fatty acid composition, *Duncan and Garton,* 53
Plasmalogens: Aldehydes and their acetal, alcohol, and acetylated alcohol derivatives; identification and gas-liquid chromatography, *Farquhar,* 21
—: Phosphatidal choline; configuration, double bond, α,β-unsaturated ether, *Norton, Gottfried, and Rapport,* 456
—: Rat diaphragm; palmitate incorporation *in vitro, Colodzin, Neptune, and Sudduth,* 234
—: Spectrophotometric determination, *Williams, Anderson, and Jasik,* 378
Polyenoic acids: Canine adrenal; location of double bonds by periodate-permanganate oxidation and gas-liquid chromatography, *Chang and Sweeley,* 170
Propionate: Cerebroside fatty acids, biosynthesis, *Hajra and Radin,* 327

R

Radioassay: Gas-liquid chromatography; flow-through, C^{14}, H^3, *Karmen, McCaffrey, and Bowman,* 372
—: C^{14}-Lipids by gas-liquid chromatography, *Karmen, Giuffrida, and Bowman,* 44
—: Long-chain fatty acids in gas-liquid chromatography (NM), *Meinertz and Dole,* 140
—: Simultaneous H^3, C^{14}; gas-liquid chromatography, *Popjak, Lowe, and Moore,* 364
—: Thin-layer silicic acid chromatography; lipids (NM), *Brown and Johnston,* 480
Reticuloendothelial system: Stimulation; effect on cholesterol metabolism; *Riggi and Di Luzio,* 339

S

Sardine: Fatty acid composition of tissues, *Lasker and Theilacker,* 60
Scintillation counting: Gas-liquid chromatography, C^{14}, H^3, flow-through, *Karmen, McCaffrey, and Bowman,* 372
— —: —-— —; simultaneous assay H^3, C^{14}, *Popjak, Lowe, and Moore,* 364
Sialic acid: Ganglioside; determination, silicic acid, *McCluer, Coram, and Lee,* 269
Silicic acid: Determination ganglioside sialic acid, *McCluer, Coram, and Lee,* 269
Sphingolipids: Beef brain, spinal cord; fatty acid composition, *Carroll,* 263
—: Brain sulfatides, quantitative isolation (NM), *Svennerholm and Thorin,* 483

Sphingosine: Spectrophotometric determination (NM), *Lauter and Trams*, 136
Spinal cord: Sphingolipid fatty acids, *Carroll*, 263
Spleen: Human; identification of glyceryl ethers, *Hallgren and Larsson*, 39
Squalene: Developing chick embryo, bisoynthesis, mevalonic acid, *Camerino and Wright*, 416
Steroids: ..drenal cortical, hormones; gas-liquid chromatography (NM), *Merits*, 126
Sterols: Acetates; silica gel chromatography, *Klien and Szczepanik*, 460
Sulfatides: Brain, quantitative isolation (NM), *Svennerholm and Thorin*, 483

T

Tetramethylhexadecanoic acid: Butterfat, *Sonneveld, Begemann, van Beers, Keuning, and Schogt*, 351
Tomatine: Cholesterol determination (NM), *Rinehart, Delaney, and Sheppard*, 383
Triglycerides: Chylomicron; doubly-labeled, uptake, rat, *Olivecrona*, 439
—: Endogenous, rabbit plasma, formation, fate, *Havel, Felts, and Van Duyne*, 297
—: HeLa cells, strain L fibroblasts; fatty acid composition of triglycerides and phospholipids, *Geyer, Bennett, and Rohr*, 80
—: Ox plasma; fatty acid composition, *Duncan and Garton*, 53
—: Synthesis and properties (Rev), *Mattson and Volpenheim*, 281
—: Uptake by adipose tissue slices; relation to heparin-released lipoprotein lipase, *Bezman, Felts, and Havel*, 417

V

Vitamin-C: Absence of response of plasma free fatty acids to epinephrine in deprived guinea pigs, *Mueller*, 92

Z

Zymosan: Reticuloendothelial stimulation; dietary cholesterol metabolism, *Riggi and Di Luzio*, 339

J. Lipid Research, October, 1962
Volume 3, Number 4

New Methods Index

Vol. 3 Nos. 1-4

Compiled by H. A. I. Newman

The numbers in this Index refer to entry numbers in the New Methods listings. They are found on the following pages of Volume 3:

Nos. 1–85	pp. 145–148
Nos. 86–133	pp. 277–279
Nos. 134–184	pp. 394–396
Nos. 185–267	pp. 000–000

BILE ACIDS: 1, 43, 44, 45, 46, 91, 114, 223, 224
CHROMATOGRAPHY: 82, 133, 183, 184
- **Thin-layer chromatography:** 83, 84, 85, 182, 261, 262, 263, 264, 265, 266, 267

ENZYMES:
- **Esterases:** 181
- **Lipases:** 81, 180, 260

FAT SOLUBLE VITAMINS AND DERIVATIVES: 130, 254, 257
- **Tocopherols:** 73, 131, 255
- **Vitamin A and carotenoids:** 76, 77
- **Vitamin D:** 74, 75, 117, 176, 256

FATTY ACIDS: 49, 58, 60, 61, 63, 119, 122, 165, 230, 231, 233, 234, 237, 238, 239
- **Esters:** 120, 166, 167, 188
- **Hydroxy:** 59, 62
- **Steam-volatile:** 163, 164, 185, 192, 235
- **Unsaturated:** 55, 56, 57, 121, 162, 236, 240

FATTY ALCOHOLS: 56, 195, 200, 232
FATTY ALDEHYDES: 59, 229, 239
FATTY KETONES: 59, 239
GAS-LIQUID CHROMATOGRAPHY: 1, 2, 4, 7, 8, 63, 90, 91, 134, 137, 185, 187, 188, 189, 190, 192, 194, 195, 196, 199, 200, 201
- **Solute class:**
  - **Alcohols:** 3, 245
  - **Aldehydes and close derivatives:** 245
  - **Fatty acids and close derivatives:** 5, 87, 92, 136, 138, 191, 193, 198
  - **Steroids and sterols:** 2, 9, 12, 86, 88, 89, 93, 135, 139, 186
  - **Terpenes:** 6, 10, 11, 129, 197

GLYCERIDES: 64, 65, 66, 159, 241
GLYCOLIPIDS: 126, 128, 209, 210, 211, 246
LIPIDS: 13, 94, 95, 140, 141, 142, 143, 202, 203, 204, 205, 206, 207, 208
LIPOPROTEINS: 78, 79, 80, 132, 174, 177, 178, 179, 258, 259
PHOSPHOLIPIDS: 67, 72, 124, 126, 133, 168, 173, 174, 175, 207, 242, 243, 244, 245, 246, 249, 250, 251
- **Choline-containing:** 252
- **Ethanolamine-containing:** 127
- **Hydrolysis products analysis:** 68, 169, 170, 171, 247
- **Phosphorus determination:** 69, 70, 71, 123, 172, 248
- **Sphingomyelin:** 125

STEROIDS: 14, 19, 20, 25, 42, 106, 107, 146, 148, 149, 151, 153, 218
- **Adrenal:** 17, 22, 26, 28, 29, 40, 41, 99, 109, 111, 144, 145, 156, 194, 212, 213, 214, 217, 219, 220, 221, 222
- **Androgenic:** 18, 21, 23, 96, 110, 147, 150, 152
- **Estrogenic:** 16, 18, 21, 24, 30, 33, 34, 36, 39, 90, 97, 100, 102, 104, 108, 110, 112, 113, 147, 150, 201, 215, 216
- **Progestational:** 27, 31, 32, 35, 37, 38, 101, 154, 155
- **Synthetic estrogen:** 105
- **Urinary:** 15, 98, 103, 147

STEROL ESTERS: 49, 157, 159, 225, 228
STEROLS: 47, 48, 49, 50, 51, 52, 53, 54, 115, 116, 117, 118, 157, 158, 160, 161, 225, 226, 227
TERPENES: 253
WAXES: 137